BUREAU OF PUBLIC WATER SUPPLY CALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

	North Holly Hills
	Public Water Supply Name
	170024
	List PWS ID #s for all Water Systems Covered by this CCR
report (deral Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer confidence (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to tomers, published in a newspaper of local circulation, or provided to the customers upon request.
Please .	Answer the Following Questions Regarding the Consumer Confidence Report
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed:/
\square	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed: 6 / ZZ / []
	CCR was published in local newspaper. (Attach copy of published CCR for proof of publication)
	Name of Newspaper:
	Date Published:/ /
	CCR was posted in public places. (Attach list of locations)
	Date Posted:/ /
	_ CCR was posted on a publicly accessible internet site at the address: www
<u>CERT</u>	<u>CIFICATION</u>
and ma	y certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form unner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Water Supply.
Samo!	Title (President, Mayor, Owner, etc.) 6-ZZ-11 Date
a 111111111111111111111111111111111111	Time (2 resiment, trayor, Orner, etc.)

Horn Lake Utility and Sanitation Department 3101 Goodman Road West Horn Lake, MS 38637

PRSRT STD US POSTAGE PAID MEMPHIS, TN PERMIT NO. 380



year's Annual Water Quality Report. We you everyday. Our goal is to provide you quality water and services we deliver to want to keep you informed about the with a safe and dependable supply of We are pleased to present to you this drinking water.

by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems. Radioactive contaminants, which can be

ncluding synthetic and volatile organic chemicals, which are

westewater discharges, oil and gas production, mining, or farming. Pestioides and herbioides, which nay come from a variety of sources such as agriculture, urban stomawater runoff, and residential uses. Organic Chemical Contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic come from sewage treatment plants, septic systems, agricultural fivestock operations, and wildlife. Inorganic contaminants,

2010 Annual Water Quality Report North Holly Hills Consumer Confidence Report

Last year, as in years past, your tap water met all U.S. Environmental Protection Agency (EPA) and state drinking water health standards. The City of Horn Lake vigilantly safegnards the water supplies and once again we are proud to report that our system has not violated a maximum contaminant level or any

A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 – December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the

City of Horn Lake PWS# 170024

Holly Hills

Do I need to take special precautions?

Some people may be more 'valuerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing themotherapy, persons who have undergone organ transplants, people with HIV/AIDS or

from the Safe Water Drinking Hotline (800-426-4791).
Source water assessment and its availability
Source Water Assessment Program was conducted by the
Department of Environmental Quality under contract from the
Mississippi Department of Health. The results of the report are
wailable.

the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances include rivers, lakes, streams, ponds, reservoirs, springs, wells. As water travels over the surface of the land or thr

sulting from the presence of animals or from human activity. nants, such as viruses and bacteria, that may

I present, elevated livels of lead can cause serious health I problems, especially for pregnant women and young children. Lead in drahing water is primarily from materials and components associated with service lines and home plumbing. The City of Hom Lake is responsible for providing high palify drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tup for 30 seconds to 2 minutes before using water for drahing or cooking. If you are concerned about lead in your water, you may wish to have your water rested. Information to the control of the property of the providence of t Hotline or at http://www.epa.gov/safewater/lead. The Mississipp State Department of Health Public Health Laboratory offers lead to minimize exposure is available from the Safe Drinking Water on lead in drinking water, testing methods, and steps you can take

Where does my water come from? In 2010 our water department distributed 27,711,904 gallons of water to our customers. Our water is groundwater pumped from a natural underground aquifer, the Sparta Aquifer. The water is

other immune system disorders, some elderly, and inflants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EFA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporitium and other nitcrobial contaminants are available

andwater.deq.ms.gov/swap/reports/report.aspx?id=017

Conservation Tips
-Repair household leaks.
-Repair household leaks.
-Use water saving stower heads, faucets, tollets and appliances
-Wash only full loads of clothes or dishes. The susceptibility assessment ranking for each well is:
-PWS ID: 170024, Source ID: 1, Susceptibility: Moderate
-PWS ID: 170024, Source ID: 2, Susceptibility: Moderate

testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested. dditional Information for Lead naturally-occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that timit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health. If you have any questions about this report or concerning your water utility, please contact Spencer Shields, the Director of Operations; ut 662-342-2709, or by writing to the following address: City of Horn Lake in 40 of Utility and Santation Department, 310 Goodman Road West, Horn Lake, MS 3637. If you want to learn more, please attend any of our regularly scheduled meetings on the 1st and 3rd Tuesshys of each mornth, at 6:00 PM, in CCP, Hall at 3:101 Goodman Road West.

Supply, at 601.576.7518.

Why are there contaminants in my drinking water?
Drinking water, including bottled water, may reasonably expected to contain at least small amounts of so

contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hootine (800-420-4791). The sources of drinking water (both tap water and bottled water)

Although this was not the result of inaction by the public water supply, AISDH was required to issue a violation. The Bureau of Public Water Supply is taking action to resolve this issue as quickly as possible. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Melisa Parker, Deputy Director, Bureau of Public Water

Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice.

Water Quality Data Table

The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently.

-				_				
	01	TT, or	Your	Range	Joe	Sample		
Contaminants	MRDLG	MRDL	Water	I ow	n: L	Campie		
Inorgania Carta				2007	112111	Date	VIOLATION	Lypical Source
riiorgaine Contaminants	mants							
Cyanide [as Free								
Cn] (ppb)	200	200	5.	5	S	2008	N _o	Discharge from plastic and fertilizer factories; Discharge f
Antimony (pph)	۲	`	2 22					steen/metal factories.
Cold Const		•	0.500	0.500	0.500	2008	Š	Discharge from petroleum refineries, fire retardants; ceran
Arsenic (pph)	5	5	227					electronics; solder; test addition.
(ppo)		č	0.565	0.365	0.365	2008	N _o	Erosion of natural deposits; Runoff from orchards; Runoff
Barium (man)	•							Since and electronics production wastes,
Банин (ррт)	2	2	0.0511	0.0511	0.0511	2008	No.	Discharge of drilling wastes; Discharge from metal refiner
:								Execution of natural neposits.

THOU SAME COMMANDER BUS	ninants							
Cyanide [as Free Cn] (ppb)	200	200	5	5	5	2008	No	Discharge from plastic and fertilizer factories; Discharge from
Antimony (ppb)	6	6	0.500	0.500	0.500	2008	No.	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder test addition
Arsenic (ppb)	0	10	0.365	0.365	0.365	2008	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes.
Barium (ppm)	2	2	0.0511	0.0511	0.0511	2008	Ŋ,	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.
Beryllium (ppb)	4	4	0.100	0.100	0.100	2008	N.	Discharge from metal refineries and coal-burning factories; Discharge from electrical, aerospace, and defense industries.
Cadmium (ppb)	5	5	0.100	0.100	0.100	2008	No.	Corrosion of galvanized pipes; Erosion of natural deposits; Discharge from metal refineries; runoff from waste batteries and
стоптин (рра)	100	100	0.500	0.500	0.500	2008	Š	Discharge from steel and pulp milk: Proving of patters I describe
Fluoride (ppm)	4	4	0.100	0.100	0.100	2008	S.	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories.
[Inorganic] (ppb)	2	2	0.200	0.200	0.200	2008	No	Erosion of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from cropland.
Selenium (ppb)	50	50	0.500	0.500	0.500	2008	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines.
Nitrate Imeasured	0.5	2	0.500	0.500	0.500	2008	No.	Discharge from electronics, glass, and leaching from ore- processing sites; drug factories.
as Nitrogen] (ppm)	10	10	1.60	1.60	1.60	2010	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.
as Nitrogen] (ppm)	-	1	< 0.05	< 0.05	< 0.05	2010	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural denosite
Copper (ppm)	1.3	1.3=AL	0.08 (90 th percentile)	All sites below AL	elow AL	2007	No	Corrosion of household plumbing systems; Erosion of natural
Lead (ppb)	0	15=AL	percentile)	All sites below AL	elow AL	2007	No.	Corrosion of household plumbing systems; Erosion of natural
Chlorine (ppm)	MRDIG = 4 MRDI =4	MRDI III	115	3	;			

Haloacetic Acids (HAA5) (ppb) Total Trihalo-Methane (ppb)

Chlorine² (ppm)

MRDLG = 4

MRDL=4 15=AL

1.15

Ä 0

80 60

0.0 0.0 0.70

0.0


2008 2008 2010

ö ď Ÿ ö

Byproduct of drinking water chlorination. Byproduct of drinking water chlorination. Water additive used to control microbes.

0.0 (HAA5) 0.0 (TTHM)

0.0 1.50



MPL: State Assigned Maximum Permissible Level.	MPL
Maximum Residual Disinfection Level: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of contaminants.	MRDL
MNR: Monitored, Not Regulated.	MNR
Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.	MRDLG
Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.	Variance and Exemption
AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.	AL
TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.	ŢŢ
MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.	MCL
MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.	MCLG
Definition	Term
Important Drinking Water Definitions	Important
ND: Not detected.	S
NA: not applicable.	ŇĀ
ppm: parts per million, or milligrams per liter (mg/L).	pbd

Jnited States Postal Service CONSOLIDATED POSTAGE STATEMENT Standard Mail		Post O	ffice: Note Mail Arrival	
	Mailer	Date &	Time (Do not Round Stamp)	ALL LANCE AND PROPERTY
Entry Point: (1) SCF-MEMPHIS, MEMPHIS, TN 38101- Presort: ALL				41:27 PN 2:25
and Address and Email Address, If Any Neel Schaffer holde Baber 3101 Goodman Rd W Horn Lake, MS 38637		Organization f	ss of Individual or or Which Mailing is ther than permit d W 38637	
	Mailing	CKID		
Post Office of Mailing Fed Agence MEMPHIS TN 38101-9998	y Cost Code Statement Sequ	ience No.	No. and Type of Containers	
Type of Postage Processing Category [X]Permit Imprint [X]Letters Flats NFM Stamps Parcels - Machinable Parcels - Irregular Mailer's Mailing Date 06/22/2011	Based on []125 pcs []15 lbs. Of Total Pie []both Addresses	ces, no. with Simplifed	0 -Sacks 2 -1 Ltr Trays 0 -2' Ltr Trays 0 -EMM Ltr Trays 2 -TTL Ltr Trays 0 -Flat Trays 0 -Pallets	
Permit No. 380 Weight of a Sin	Combined Mailing [] Mix gle Piece 0.0100 p			
For Mail Enclosed within Another Class []Perio		1		4
For Automation Pieces, Enter Date of For Ca	rrier Route Pieces. Enter Da		ite Pieces, Enter Date of	_
Address matching and Coding 06/09/2011 Address	s Matching and Coding / /	Carrier Route S	Sequencing / /	
For pieces bearing a simplified address enter da				-
Move Update method: []Ancillary Service Endorsei [X]n/a Alternative Address Fo	ormat []PASITORWARD []NCO	A Link []ACS []Alter	native Method []Multiple	
	Postage			
Parts Completed (Select all that apply) [X]A [X]B []C []D []E []F []G	[]H[]I[]J[]K[]L	[]M[]S	
[]Mailpiece is a product sample. []Letter-size or flat mailpiece contains DVD/CD	or other disk.	otal Postage (Add parts	totals) \$ 52.60	
Price at Which Postage Affixed (Check one) []Correct []Lowest []Neither Complete if the mailing includes pieces bearing	pcs. x \$ petered or precanceled stam	= Postage A	ffixed \$	
Permit No.	t Postage Due (Subtract post	age affixed from total p	ostage) \$	-
	USPS Use Only			1
Additional Postage Payment (State reason)			\$	
For postage affixed add additional payment to net for permit imprint add additional payment to tota	al postage.	Total Adjusted Postage	Affixed \$	
Postmaster: Report Total Postage in AIC 130 (Perm	nit Imprint only) Total	Adjusted Postage Permit	Imprint \$	
	Certification			
Incentive Claimed: The mailer's signature certifies acceptance of limaling, subject to appeal. If an agent signs this the mailer and that the mailer is bound by the colliable for any deficiencies resulting from matter certifies that all information furnished on this documentation comply with all postal standards are does not contain any matter prohibited by law or information on this form or who omits information including fines and imprisonment.	is rorm, the agent certifles	that he or she is autho	rized to sign on behalf of	
Signature of Mailer or Agent	Printed Name of Mail Tom Bartlett	ler or Agent Signing For	m Telephone 901-497-4873	
	- To be completed in non-F	PostalOne! sites		
Weight of a Single Piece 0 pound Total Pieces Total Weight	Are postage figures at let mailer's entries? If yes	ft adjusted from , reason:	[] Yes [] No	
Total Postage	_		Pound Starry (Samuel 1)	
Presort Verification Performed? (if required) [] Yes [] No I CERTIFY that this mailing has been inspected for each item below if required:			Round Stamp (Required) Payment Date	
 eligibility for postage prices claimed; proper preparation (and presort where req.); proper completion of postage statement; 	Date Mailer Notified	Contact		
(4) payment of annual fee; and (5) sufficient funds on deposit (if req.).	By (Initials)		AM PM	
USPS Employee's Signature	Print USPS Employees's Nam	ne		

PS Form 3602-R1, April 2011 (Page 1 of 2) Facsimile PSN 7530-07-000-6209 Postalsoft Business Edition 8.00c.05

Postal Explorer at pe.usps.com